## LISTING OF CLAIMS

## 1 - 40. Canceled.

- 41. (Currently Amended) A paper wrapper for a smoking article comprising: a paper web having a permeability of greater than about 60 Coresta; and treated discrete areas on the paper web formed by applying a film-forming composition to the paper web, the treated discrete areas being separated by untreated areas, the treated discrete areas having a permeability of less than about 25 Coresta and a BMI of less than about 5 cm<sup>-1</sup>, the treated areas reducing ignition proclivity of a smoking article incorporating the paper wrapper, the treated areas being spaced from each other at a distance of at least from about 10mm to about 30 mm.
- 42. (Previously Presented) A paper wrapper as defined in claim 41, wherein the treated discrete areas comprise a plurality of discrete circumferential bands.
- 43. (Previously Presented) A paper wrapper as defined in claim 42, wherein the bands have a width of greater than about 4 mm.
  - 44. (Canceled)
  - 45. (Canceled)
- 46. (Previously Presented) A paper wrapper as defined in claim 41, wherein the treated discrete areas comprise multiple layers of the film-forming composition.
- 47. (Previously Presented) A paper wrapper as defined in claim 46, wherein the treated discrete areas comprise at least three layers of the film-forming composition.
- 48. (Previously Presented) A paper wrapper as defined in claim 41, wherein the film-forming composition comprises an alginate.
- 49. (Previously Presented) A paper wrapper as defined in claim 41, wherein the film-forming composition comprises a polyvinyl acetate.
- 50. (Previously Presented) A paper wrapper as defined in claim 41, wherein the film-forming composition comprises a polyvinyl alcohol.
- 51. (Previously Presented) A paper wrapper as defined in claim 41, wherein the film-forming composition comprises a starch.
- 52. (Previously Presented) A paper wrapper as defined in claim 41, wherein the film-forming composition comprises a cellulose derivative.

- 53. (Previously Presented) A paper wrapper as defined in claim 46, wherein the treated discrete areas comprise at least a first layer of the film-forming composition and a second layer of the film-forming composition, and wherein the first layer contains a greater amount of the film-forming composition than the second layer.
- 54. (Previously Presented) A paper wrapper as defined in claim 53, wherein the first layer contains the film-forming composition in an amount that is at least 1% by weight greater than the amount of the film-forming composition contained in the second layer.
- 55. (Previously Presented) A paper wrapper as defined in claim 41, wherein the paper web has a permeability of greater than about 80 Coresta.
- 56. (Previously Presented) A paper wrapper as defined in claim 41, wherein the film-forming composition comprises an aqueous composition prior to being applied to the paper web.
- 57. (Previously Presented) A paper wrapper as defined in claim 41, wherein the film-forming composition comprises a non-aqueous composition prior to being applied to the paper web.
- 58. (Previously Presented) A paper wrapper as defined in claim 57, wherein the film-forming composition prior to being applied to the paper web contains an alcohol.
- 59. (Previously Presented) A paper wrapper as defined in claim 41, wherein the paper web has a basis weight of from about 18 gsm to about 60 gsm.
- 60. (Previously Presented) A paper wrapper as defined in claim 41, further comprising a burn control additive applied to the paper web.
- 61. (Previously Presented) A paper wrapper as defined in claim 60, wherein the burn control additive comprises an alkali metal salt.
- 62. (Previously Presented) A paper wrapper as defined in claim 61, wherein the alkali metal salt comprises a citrate.
- 63. (Previously Presented) A paper wrapper as defined in claim 41, wherein the film-forming composition contains a particulate inorganic filler.
- 64. (Previously Presented) A paper wrapper as defined in claim 63, wherein the particulate inorganic filler comprises a non-reactive filler.
- 65. (Previously Presented) A paper wrapper as defined in claim 64, wherein the particulate inorganic filler comprises a metal oxide.

- 66. (Canceled)
- 67. (Canceled)
- 68. (Canceled)
- 69. (Previously Presented) A paper wrapper as defined in claim 41, wherein the treated areas have a BMI of from about 1 to about 3cm<sup>-1</sup>.
- 70. (Previously Presented) A paper wrapper for a smoking article comprising:
  a paper web having a permeability of greater than about 60 Coresta, the
  paper web containing cellulosic fibers and a filler, the paper web having a basis weight of
  from about 18 gsm to about 60 gsm; and

treated discrete areas on the paper web formed by applying a film-forming composition to the paper web, the treated discrete areas being separated by untreated areas, the treated discrete areas comprising circumferential bands having a width of greater than about 4 mm, the treated discrete areas having a permeability of less than about 25 Coresta and a BMI of less than about 5 cm<sup>-1</sup>, the treated areas reducing the ignition proclivity of a smoking article incorporating the paper wrapper such that the smoking article self-extinguishes when lit and placed on filter paper.

- 71. (Previously Presented) A paper wrapper as defined in claim 70, wherein the film-forming composition comprises a polyvinyl acetate.
- 72. (Previously Presented) A paper wrapper as defined in claim 71, wherein the film-forming composition further comprises a particulate inorganic filler comprising a metal oxide.
- 73. (Previously Presented) A paper wrapper as defined in claim 70, wherein the film-forming composition comprises a non-aqueous composition, the composition containing an alcohol.
- 74. (Previously Presented) A paper wrapper as defined in claim 73, wherein the film-forming composition further comprises a particulate inorganic filler comprising a metal oxide.
- 75. (Previously Presented) A paper wrapper as defined in claim 70, wherein the film-forming composition comprises ethyl cellulose.
- 76. (Previously Presented) A paper wrapper as defined in claim 70, wherein the paper web has a permeability of greater than about 80 Coresta.

- 77. (Previously Presented) A paper wrapper as defined in claim 72, wherein the paper web has a permeability of greater than about 80 Coresta.
- 78. (Previously Presented) A paper wrapper as defined in claim 74, wherein the paper web has a permeability of greater than about 80 Coresta.
- 79. (Previously Presented) A paper wrapper as defined in claim 72, wherein the treated discrete areas comprise multiple layers of the film-forming composition.
- 80. (Previously Presented) A paper wrapper as defined in claim 74, wherein the treated discrete areas comprise multiple layers of the film-forming composition.
- 81. (Previously Presented) A paper wrapper as defined in claim 72, wherein the treated areas have a BMI of from about 1 to about 3 cm<sup>-1</sup>.
- 82. (Previously Presented) A paper wrapper as defined in claim 74, wherein the treated areas have a BMI of from about 1 to about 3 cm<sup>-1</sup>.
  - 83. (Currently Amended) A smoking article comprising: a column comprising tobacco; and
- a paper wrapper surrounding the column, the paper wrapper comprising a paper web having a permeability of greater than about 60 Coresta, the paper web including treated discrete areas formed by applying a film-forming composition to the paper web, the treated discrete areas being separated by untreated areas, the treated discrete areas having a BMI of less than about 5 cm<sup>-1</sup>, the treated areas reducing the ignition proclivity of the smoking article, the treated areas being spaced from each other at a distance of at least from about 10 mm to about 30 mm.
- 84. (Previously Presented) A smoking article as defined in claim 83, wherein the treated discrete areas comprise a plurality of discrete circumferential bands.
- 85. (Previously Presented) A smoking article as defined in claim 84, wherein the bands have a width of greater than about 4 mm.
  - 86. (Canceled)
  - 87. (Canceled)
- 88. (Previously Presented) A smoking article as defined in claim 83, wherein the treated discrete areas comprise multiple layers of the film-forming composition.
- 89. (Previously Presented) A smoking article as defined in claim 88, wherein the treated discrete areas comprise at least three layers of the film-forming composition.

- 90. (Previously Presented) A smoking article as defined in claim 83, wherein the film-forming composition comprises an alginate.
- 91. (Previously Presented) A smoking article as defined in claim 83, wherein the film-forming composition comprises a polyvinyl acetate.
- 92. (Previously Presented) A smoking article as defined in claim 83, wherein the film-forming composition comprises a polyvinyl alcohol.
- 93. (Previously Presented) A smoking article as defined in claim 83, wherein the film-forming composition comprises a starch.
- 94. (Previously Presented) A smoking article as defined in claim 83, wherein the film-forming composition comprises a cellulose derivative.
- 95. (Previously Presented) A smoking article as defined in claim 83, wherein the treated discrete areas have a permeability of less than about 25 Coresta.
- 96. (Previously Presented) A smoking article as defined in claim 88, wherein the treated discrete areas comprise at least a first layer of the film-forming composition and a second layer of the film-forming composition, and wherein the first layer contains a greater amount of the film-forming composition than the second layer.
- 97. (Previously Presented) A smoking article as defined in claim 96, wherein the first layer contains the film-forming composition in an amount that is at least 1% by weight greater than the amount of the film-forming composition contained in the second layer.
- 98. (Previously Presented) A smoking article as defined in claim 83, wherein the paper web has a permeability of greater than about 80 Coresta.
- 99. (Previously Presented) A smoking article as defined in claim 83, wherein the film-forming composition comprises an aqueous composition prior to being applied to the paper web.
- 100. (Previously Presented) A smoking article as defined in claim 83, wherein the film-forming composition comprises a non-aqueous composition prior to being applied to the paper web.
- 101. (Previously Presented) A smoking article as defined in claim 100, wherein the film-forming composition prior to being applied to the paper web contains an alcohol.
- 102. (Previously Presented) A smoking article as defined in claim 83, wherein the paper web has a basis weight of from about 18 gsm to about 60 gsm.

- 103. (Previously Presented) A smoking article as defined in claim 83, further comprising a burn control additive applied to the paper web.
- 104. (Previously Presented) A smoking article as defined in claim 103, wherein the burn control additive comprises an alkali metal salt.
- 105. (Previously Presented) A smoking article as defined in claim 104, wherein the alkali metal salt comprises a citrate.
- 106. (Previously Presented) A smoking article as defined in claim 83, wherein the film-forming composition contains a particulate inorganic filler.
- 107. (Previously Presented) A smoking article as defined in claim 106, wherein the particulate inorganic filler comprises a non-reactive filler.
- 108. (Previously Presented) A smoking article as defined in claim 107, wherein the particulate inorganic filler comprises a metal oxide.
  - 109. (Canceled)
- 110. (Previously Presented) A smoking article as defined in claim 83, wherein the treated discrete areas cause a smoking article incorporating the paper wrapper to self-extinguish when lit and placed on filter paper.
  - 111. (Canceled)
- 112. (Previously Presented) A smoking article as defined in claim 83, wherein the treated areas have a BMI of from about 1 to about 3 cm<sup>-1</sup>.
- 113. (Previously Presented) A paper wrapper for a smoking article comprising:
  a paper web having a permeability of greater than about 60 Coresta, the
  paper web having a basis weight of from about 18 gsm to about 60 gsm and containing a
  filler; and

treated discrete areas on the paper web formed by applying a film-forming composition to the paper web, the treated discrete areas being separated by untreated areas, the treated discrete areas comprising a plurality of circumferential bands when the paper wrapper is wrapped around a smokeable filler, the circumferential bands having a width of at least 3 mm and being spaced from each other a distance of from about 10 mm to about 30 mm, the treated discrete areas having a permeability of less than about 25 Coresta and a BMI of less than about 3 cm<sup>-1</sup>, the film-forming composition comprising

polyvinyl acetate and a metal oxide filler, the treated areas reducing ignition proclivity of a smoking article incorporating the paper wrapper.

- 114. (Previously Presented) A paper wrapper as defined in claim 42, wherein the wrapper includes up to three circumferential bands.
- 115. (Previously Presented) A paper wrapper as defined in claim 42, wherein the treated areas reduce the ignition proclivity of a smoking article incorporating the paper wrapper sufficient for the smoking article to self-extinguish when lit and placed on filter paper.
- 116. (Previously Presented) A paper wrapper as defined in claim 70, wherein the wrapper includes up to three circumferential bands.
  - 117. (Canceled)
- 118. (Previously Presented) A smoking article as defined in claim 84, wherein the paper wrapper includes up to three circumferential bands.
- 119. (Previously Presented) A paper wrapper as defined in claim 113, wherein the treated areas reduce the ignition proclivity of a smoking article incorporating the paper wrapper sufficient for the smoking article to self-extinguish when lit and placed on filter paper.
- 120. (Previously Presented) A paper wrapper as defined in claim 113, wherein the paper wrapper includes up to three circumferential bands.
- 121. (Currently Amended) A paper wrapper for a smoking article comprising:
  a paper web having a permeability of greater than about 60 Coresta; and
  at least one treated discrete area on the paper web formed by applying a
  film-forming composition to the paper web, the treated discrete area being positioned
  adjacent to untreated areas, the at least one treated discrete area having a permeability of
  less than about 25 Coresta and a BMI of less than about 5 cm<sup>-1</sup>, the at least one treated
  area reducing ignition proclivity of a smoking article incorporating the paper wrapper, at
  least one of the untreated areas on the paper web having a width of from about greater
  than 10 mm to about 30 mm.
- 122. (Previously Presented) A paper wrapper as defined in claim 121, wherein the at least one treated discrete area comprises a discrete circumferential band.

- 123. (Previously Presented) A paper wrapper as defined in claim 122, wherein the paper wrapper includes up to three bands.
- 124. (Previously Presented) A paper wrapper as defined in claim 123, wherein the bands have a width of greater than about 4 mm.
  - 125. (Canceled)
  - 126. (New) A paper wrapper for a smoking article comprising:

a paper web having a permeability of greater than about 60 Coresta, the paper web comprising cellulosic fibers and a filler, the filler being present in the paper web in an amount from about 10% to about 40% by weight, the paper web having a basis weight of from about 15 gsm to about 40 gsm; and

treated discrete areas on the paper web comprising a film-forming composition, the treated discrete areas comprising a plurality of discrete circumferential bands, the bands being spaced from each other from 10 mm to about 30 mm, the treated discrete areas having a permeability of less than about 25 Coresta.

- 127. (New) A paper wrapper as defined in claim 126, wherein the film-forming composition comprises an alginate, a starch, or a cellulose derivative.
- 128. (New) A paper wrapper as defined in claim 126, further comprising a burn control additive applied to the paper web.
- 129. (New) A paper wrapper as defined in claim 128, wherein the burn control additive comprises an alkali metal salt.
- 130. (New) A paper wrapper as defined in claim 129, wherein the alkali metal salt comprises a citrate.
- 131. (New) A paper wrapper as defined in claim 126, wherein the discrete circumferential bands have a width greater than about 4 mm.
  - 132. (New) A smoking article comprising:a column comprising tobacco; andthe paper wrapper as defined in claim 126 surrounding the column.
- 133. (New) A paper wrapper for a smoking article comprising:

  a paper web having a permeability of greater than about 60 Coresta, the paper web comprising cellulosic fibers and a filler, the filler being present in the paper web

in an amount from about 10% to about 40% by weight, the paper web having a basis weight of from about 15 gsm to about 40 gsm; and

printed discrete areas on the paper web formed by printing a film-forming composition on the paper web, the printed discrete areas comprising a plurality of discrete circumferential bands, the bands being spaced from each other from about 10 mm to about 30 mm, the printed discrete areas having a permeability of less than about 25 Coresta.

- 134. (New) A paper wrapper as defined in claim 133, wherein the film-forming composition comprises an alginate, a starch, or a cellulose derivative.
- 135. (New) A paper wrapper as defined in claim 133, further comprising a burn control additive applied to the paper web.
- 136. (New) A paper wrapper as defined in claim 135, wherein the burn control additive comprises an alkali metal salt.
- 137. (New) A paper wrapper as defined in claim 136, wherein the alkali metal salt comprises a citrate.
- 138. (New) A paper wrapper as defined in claim 133, wherein the discrete circumferential bands have a width greater than about 4 mm.
  - 139. (New) A smoking article comprising:a column comprising tobacco; andthe paper wrapper as defined in claim 133 surrounding the column.